



SURGERY INSTRUCTIONS FOR DR. STEVEN DELL

OPERATIVE EYE: RIGHT / LEFT

**USE IMPRIMIS EYE DROPS 3 TIMES DAILY
BEGINNING THE DAY BEFORE YOUR SURGERY**

**UNLESS OTHERWISE INSTRUCTED,
DO NOT EAT OR DRINK ANYTHING AFTER MIDNIGHT
THE NIGHT BEFORE YOUR SURGERY.**

THE DAY OF SURGERY

Your procedure is scheduled on _____. Please arrive to Texan Surgery Center at: _____.

**You must have a driver day of surgery that can go with you to the surgery center
and stay with you until surgery is completed.**

AFTER SURGERY

DAY OF SURGERY Use the Imprimis eyedrop after nap, and before bed.

**You will continue using your Imprimis eye drops
3 times daily for four weeks..**



Take only small amounts of liquid until you are certain that no nausea exists. After that, you may eat as you wish. If you have any pain or discomfort after your surgery, you may take Advil, Tylenol, Motrin or Nuprin. If that does not help, please call our office at 512-347-0255.

Please contact DLC at 512-347-0255 if you notice decreasing vision, increasing pain, progressive redness, swelling around the eye, new floaters, increased sensitivity to light, or field of vision abnormalities.

THE DAY AFTER SURGERY:

You will be seen for your appointment at: _____.

Day 1			
Day 2			
Day 3			
Day 4			
Day 5			
Day 6			
Day 7			
Day 8			
Day 9			
Day 10			
Day 11			
Day 12			
Day 13			
Day 14			
Day 15			
Day 16			
Day 17			
Day 18			
Day 19			
Day 20			
Day 21			
Day 22			
Day 23			
Day 24			
Day 25			
Day 26			
Day 27			
Day 28			
Day 29			
Day 30			